

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(desired adj geographical adj location).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 07:58
L2	3305	(current adj location).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 07:58
L3	8	(current adj location) and (geographical adj proximity).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/15 07:58
S1	25	geographic\$3 adj location adj database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/04 15:03
S2	10	(geographic\$3 adj location adj information) and (mobile adj communication adj device) and database	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/01 12:26
S3	2604	707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/01 12:26
S4	116	707/3.ccls. and (geographic\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:13
S5	20	(707/3.ccls. and (geographic\$3 adj location)) and GPS	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/01 12:27
S6	56	"5682525"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/01 13:41
S7	49	707/4.ccls. and (geographic\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:13
S8	44	707/5.ccls. and (geographic\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:14

## EAST Search History

S9	158	707/10.ccls. and (geographic\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:16
S10	837	701/201	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:16
S11	397	701/201.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:16
S12	194	701/201.ccls. and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:17
S13	1034	701/207.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:17
S14	345	701/207.ccls. and (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:17
S15	852	701/208.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:19
S16	585	701/209.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:18
S17	532	701/211.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:18
S18	1060	701/213.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:18
S19	330	701/214.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:18
S20	62	(701/207.ccls. 701/208.ccls. 701/209.ccls. 701/211.ccls. 701/213.ccls. 701/214.ccls.) and database and query and (geographic adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/04/02 12:20

## EAST Search History

S21	1	09/935,179	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 14:33
S22	32216	GPS and (@rlad<="20001114" or @ad<="20001114"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 14:33
S23	0	(GPS and (@rlad<="20001114" or @ad<="20001114")) and (customiz\$3 adj (place lankmark) adj name)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 08:38
S24	0	(GPS and (@rlad<="20001114" or @ad<="20001114")) and (customiz\$3 adj name)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 14:35
S25	0	(GPS and (@rlad<="20001114" or @ad<="20001114")) and (customiz\$3 adj2 name)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 14:35
S26	23	(GPS and (@rlad<="20001114" or @ad<="20001114")) and (customiz\$3 with name)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 14:57
S27	0	(GPS and (@rlad<="20001114" or @ad<="20001114")) and (location adj based adj (service information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 14:58
S28	94	(GPS and (@rlad<="20001114" or @ad<="20001114")) and (location adj based adj (service or information))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 15:50
S29	83	715/540.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 15:54
S30	1	"search and replace"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/07 15:57
S31	44	(search adj2 replace) and (program\$4 adj code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/08 08:34
S32	0	(thomas adj2 woolston).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/08 08:35

## EAST Search History

S33	8	(thomas and woolston).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/08 12:09
S34	1	"6072421".PN.	US-PGPUB; USPAT	OR	ON	2003/08/08 10:19
S35	1	"6049753".PN.	US-PGPUB; USPAT	OR	ON	2003/08/08 10:19
S36	6	("4758959"   "5485161"   "5991690"   "6028550"   "6049753"   "6072421").PN.	USPAT	OR	ON	2003/08/08 10:23
S37	0	"6564143".URPN.	USPAT	OR	ON	2003/08/08 10:28
S38	37	"5839088"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/08 12:10
S39	1	"5996001".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/08/08 15:24
S40	27844	radial adj distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/04 15:04
S41	226	(radial adj distance) and (geographic\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/04 15:04
S42	81	((radial adj distance) and (geographic\$3 adj location)) and GPS	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 08:37
S43	8	"6266614".URPN.	USPAT	OR	ON	2003/12/04 15:17
S44	7	("5177685"   "5664948"   "5717392"   "5767795"   "5802492"   "5835881"   "6085148").PN.	USPAT	OR	ON	2003/12/04 15:20
S45	500	(mobile adj device) and (geographic\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 08:38
S46	394	((mobile adj device) and (geographic\$3 adj location)) and (database (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:46

## EAST Search History

S47	163	((mobile adj device) and (geographic\$3 adj location)) and (database (data adj base))) and (@rlad<="20001114" or @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:46
S48	0	09/606350	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 08:50
S49	0	09/606,350	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 08:50
S50	1	"09606350"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 09:37
S51	0	"point of interest"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 09:38
S52	690	GPS and (point adj interest)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 09:38
S53	458	(GPS and (point adj interest)) and (@rlad<="20001114" or @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 09:38
S54	367	((GPS and (point adj interest)) and (@rlad<="20001114" or @ad<="20001114")) and (database (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 09:51
S55	17	((GPS and (point adj interest)) and (@rlad<="20001114" or @ad<="20001114")) and (database (data adj base))) and (radial adj distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 09:39
S56	9	((location adj based) or location-based) adj information adj retrieval	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:45
S57	6	("5461390"   "5502757"   "5559520"   "5938721"   "6115611"   "6122520").PN.	USPAT	OR	ON	2003/12/05 10:13

## EAST Search History

S58	40	("5089826"   "5223844"   "5235633"   "5285494"   "5479482"   "5483468"   "5712899"   "5732074"   "5774689"   "5790426"   "5796394"   "5814798"   "5862203"   "5864683"   "5884282"   "5918014"   "5923736"   "5933599"   "5937397"   "5958016"   "5959543"   "5959577"   "5970122"   "5974300"   "5983214"   "5987454"   "5995943"   "6014429"   "6014654"   "6018718"   "6029141"   "6041311"   "6049711"   "6049777"   "6065012"   "6069310"   "6075528"   "6134591"   "6161008"   "6266612").PN.	USPAT	OR	ON	2003/12/05 10:30
S59	3	"6405034".URPN.	USPAT	OR	ON	2003/12/05 10:35
S60	3	"6381465".URPN.	USPAT	OR	ON	2003/12/05 10:43
S61	7	("5555446"   "5822700"   "5870030"   "5873043"   "6047327"   "6101381"   "6157814").PN.	USPAT	OR	ON	2003/12/05 10:44
S62	685	GPS and (predetermined adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:47
S63	283	(GPS and (predetermined adj location)) and (database (data adj base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:46
S64	193	((GPS and (predetermined adj location)) and (database (data adj base))) and (@rlad<="20001114" or @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:48
S65	86	GPS and (user adj specif\$3 adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:57
S66	5	((((location adj based) or location-based) adj information adj retrieval) and (@rlad<="20001114" or @ad<="20001114"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:58
S67	39	(GPS and (user adj specif\$3 adj location)) and (@rlad<="20001114" or @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:48
S68	0	GPS and (user adj preconfigured adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:57

## EAST Search History

S69	0	GPS and ( preconfigured adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:57
S70	1	GPS and ( preconfigured near location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:57
S71	91	GPS and ( predefined adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 10:57
S72	68	(GPS and ( predefined adj location)) and (@rlad<="20001114" or @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:12
S73	0	(business adj density) with (zipcode or (zip adj code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:13
S74	1	(business adj density) and (zipcode or (zip adj code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:24
S75	15	geographical adj location adj identifier	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:29
S76	0	customized adj landmark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:29
S77	40135	customized location adj name	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:30
S78	0	customized adj location adj name	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:30
S79	0	user adj defined adj geographic adj location	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:31
S80	0	user adj defined adj geographical adj location	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:31

## EAST Search History

S81	16	defined adj geographical adj location	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 12:31
S82	0	bussiness adj density	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 14:36
S83	2	business adj density	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 14:50
S84	0	"Zip Code Business Patterns "	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 14:51
S85	0	"Zip Business Patterns "	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 14:51
S86	0	Zip adj2 Business adj Patterns	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 15:11
S87	16	zip adj code adj distribution	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 15:11
S88	61	"5175814"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2003/12/05 16:06
S93	1	"6650902".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 13:34
S94	1	"6615131".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 13:34
S95	1	"5682525".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/06 15:40
S96	3251	bowman.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/31 12:16



## EAST Search History

S97	6	S96 and amazon	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/31 12:16
S98	74	"amazon.com".as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/31 12:16
S99	6	S98 and bowman.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/07/31 12:16
S10 0	7	user adj favorite adj location	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 15:19
S10 1	1	S100 and (@rlad<="20001114" @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 15:19
S10 2	5697	(location adj based) and (@rlad<="20001114" @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:05
S10 3	1651	S102 and GPS	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 15:25
S10 4	12	S103 and (favorite adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 15:20
S10 5	4	S103 and (saved adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 15:26
S10 6	356	S103 and landmark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 15:33
S10 7	218	S106 not genome.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:04
S10 8	34	treyz.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:04

## EAST Search History

S10 9	0	S107 and (desired adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:04
S11 0	0	S107 and (taget\$ adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:04
S11 1	218	S107 and location	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:04
S11 2	615	(saved adj location)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:05
S11 3	79	S112 and GPS	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:05
S11 4	17	S113 and (@rlad<="20001114" @ad<="20001114")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/01/14 17:05